

2009 Lake Whitney Water Treatment Plant Raw Water Usage

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 1/1/09 | 0.00% | 0.41 | No | No | |
| 1/2/09 | 0.00% | 0.39 | No | No | |
| 1/3/09 | 0.00% | 0.39 | No | No | |
| 1/4/09 | 0.00% | 0.38 | No | No | |
| 1/5/09 | 0.00% | 0.37 | No | No | |
| 1/6/09 | 0.00% | 0.37 | No | No | |
| 1/7/09 | 7.92% | 0.37 | No | No | |
| 1/8/09 | 0.00% | 0.53 | No | No | |
| 1/9/09 | 0.00% | 0.45 | No | No | |
| 1/10/09 | 0.00% | 0.39 | No | No | |
| 1/11/09 | 0.00% | 0.37 | No | No | |
| 1/12/09 | 0.00% | 0.36 | No | No | |
| 1/13/09 | 0.00% | 0.35 | No | No | |
| 1/14/09 | 8.51% | 0.35 | No | No | |
| 1/15/09 | 0.00% | 0.35 | No | No | |
| 1/16/09 | 0.00% | 0.34 | No | No | |
| 1/17/09 | 0.00% | 0.34 | No | No | |
| 1/18/09 | 0.00% | 0.34 | No | No | |
| 1/19/09 | 0.00% | 0.34 | No | No | |
| 1/20/09 | 0.00% | 0.33 | No | No | |
| 1/21/09 | 7.64% | 0.32 | No | No | |
| 1/22/09 | 0.00% | 0.32 | No | No | |
| 1/23/09 | 0.00% | 0.32 | No | No | |
| 1/24/09 | 0.00% | 0.32 | No | No | |
| 1/25/09 | 0.00% | 0.31 | No | No | |
| 1/26/09 | 0.00% | 0.31 | No | No | |
| 1/27/09 | 0.00% | 0.31 | No | No | |
| 1/28/09 | 7.68% | 0.30 | No | No | |
| 1/29/09 | 0.00% | 0.35 | No | No | |
| 1/30/09 | 0.00% | 0.34 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 1/31/09 | 0.00% | 0.32 | No | No | |
| 2/1/09 | 0.00% | 0.31 | No | No | |
| 2/2/09 | 0.00% | 0.30 | No | No | |
| 2/3/09 | 0.00% | 0.31 | No | No | |
| 2/4/09 | 8.13% | 0.31 | No | No | |
| 2/5/09 | 0.00% | 0.30 | No | No | |
| 2/6/09 | 0.00% | 0.30 | No | No | |
| 2/7/09 | 0.00% | 0.30 | No | No | |
| 2/8/09 | 0.00% | 0.29 | No | No | |
| 2/9/09 | 0.00% | 0.35 | No | No | |
| 2/10/09 | 0.00% | 0.32 | No | No | |
| 2/11/09 | 8.16% | 0.32 | No | No | |
| 2/12/09 | 0.00% | 0.36 | No | No | |
| 2/13/09 | 0.00% | 0.46 | No | No | |
| 2/14/09 | 0.00% | 0.39 | No | No | |
| 2/15/09 | 0.00% | 0.35 | No | No | |
| 2/16/09 | 0.00% | 0.33 | No | No | |
| 2/17/09 | 8.25% | 0.32 | No | No | |
| 2/18/09 | 0.00% | 0.32 | No | No | |
| 2/19/09 | 0.00% | 0.40 | No | No | |
| 2/20/09 | 0.00% | 0.45 | No | No | |
| 2/21/09 | 0.00% | 0.38 | No | No | |
| 2/22/09 | 0.00% | 0.35 | No | No | |
| 2/23/09 | 0.00% | 0.38 | No | No | |
| 2/24/09 | 0.00% | 0.36 | No | No | |
| 2/25/09 | 8.32% | 0.32 | No | No | |
| 2/26/09 | 0.00% | 0.31 | No | No | |
| 2/27/09 | 0.00% | 0.32 | No | No | |
| 2/28/09 | 0.00% | 0.38 | No | No | |
| 3/1/09 | 0.00% | 0.37 | No | No | |
| 3/2/09 | 0.00% | 0.34 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 3/3/09 | 0.00% | 0.32 | No | No | |
| 3/4/09 | 8.54% | 0.32 | No | No | |
| 3/5/09 | 0.00% | 0.32 | No | No | |
| 3/6/09 | 0.00% | 0.32 | No | No | |
| 3/7/09 | 0.00% | 0.33 | No | No | |
| 3/8/09 | 0.00% | 0.73 | No | No | |
| 3/9/09 | 0.00% | 0.36 | No | No | |
| 3/10/09 | 0.00% | 0.49 | No | No | |
| 3/11/09 | 8.34% | 0.40 | No | No | |
| 3/12/09 | 0.00% | 0.40 | No | No | |
| 3/13/09 | 0.00% | 0.35 | No | No | |
| 3/14/09 | 0.00% | 0.34 | No | No | |
| 3/15/09 | 0.00% | 0.34 | No | No | |
| 3/16/09 | 0.00% | 0.33 | No | No | |
| 3/17/09 | 0.00% | 0.32 | No | No | |
| 3/18/09 | 8.63% | 0.32 | No | No | |
| 3/19/09 | 0.00% | 0.31 | No | No | |
| 3/20/09 | 0.00% | 0.32 | No | No | |
| 3/21/09 | 0.00% | 0.30 | No | No | |
| 3/22/09 | 0.00% | 0.29 | No | No | |
| 3/23/09 | 0.00% | 0.29 | No | No | |
| 3/24/09 | 0.00% | 0.27 | No | No | |
| 3/25/09 | 8.43% | 0.27 | No | No | |
| 3/26/09 | 0.00% | 0.28 | No | No | |
| 3/27/09 | 0.00% | 0.31 | No | No | |
| 3/28/09 | 0.00% | 0.30 | No | No | |
| 3/29/09 | 0.00% | 0.28 | No | No | |
| 3/30/09 | 0.00% | 0.34 | No | No | |
| 3/31/09 | 0.00% | 0.32 | No | No | |
| 4/1/09 | 8.89% | 0.29 | No | No | |
| 4/2/09 | 0.00% | 0.29 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 4/3/09 | 0.00% | 0.29 | No | No | |
| 4/4/09 | 0.00% | 0.47 | No | No | |
| 4/5/09 | 0.00% | 0.37 | No | No | |
| 4/6/09 | 0.00% | 0.32 | No | No | |
| 4/7/09 | 0.00% | 0.40 | No | No | |
| 4/8/09 | 7.98% | 0.36 | No | No | |
| 4/9/09 | 0.00% | 0.33 | No | No | |
| 4/10/09 | 0.00% | 0.31 | No | No | |
| 4/11/09 | 0.00% | 0.35 | No | No | |
| 4/12/09 | 0.00% | 0.43 | No | No | |
| 4/13/09 | 0.00% | 0.35 | No | No | |
| 4/14/09 | 0.00% | 0.33 | No | No | |
| 4/15/09 | 7.42% | 0.32 | No | No | |
| 4/16/09 | 0.00% | 0.31 | No | No | |
| 4/17/09 | 0.00% | 0.30 | No | No | |
| 4/18/09 | 0.00% | 0.30 | No | No | |
| 4/19/09 | 0.00% | 0.29 | No | No | |
| 4/20/09 | 0.00% | 0.28 | No | No | |
| 4/21/09 | 0.00% | 0.35 | No | No | |
| 4/22/09 | 8.44% | 0.63 | No | No | |
| 4/23/09 | 0.00% | 0.49 | No | No | |
| 4/24/09 | 0.00% | 0.42 | No | No | |
| 4/25/09 | 0.00% | 0.38 | No | No | |
| 4/26/09 | 0.00% | 0.36 | No | No | |
| 4/27/09 | 0.00% | 0.34 | No | No | |
| 4/28/09 | 0.00% | 0.33 | No | No | |
| 4/29/09 | 8.49% | 0.32 | No | No | |
| 4/30/09 | 0.00% | 0.29 | No | No | |
| 5/1/09 | 0.00% | 0.29 | No | No | |
| 5/2/09 | 0.00% | 0.32 | No | No | |
| 5/3/09 | 0.00% | 0.32 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 5/4/09 | 0.00% | 0.31 | No | No | |
| 5/5/09 | 0.00% | 0.30 | No | No | |
| 5/6/09 | 8.49% | 0.31 | No | No | |
| 5/7/09 | 0.00% | 0.36 | No | No | |
| 5/8/09 | 0.00% | 0.46 | No | No | |
| 5/9/09 | 0.00% | 0.36 | No | No | |
| 5/10/09 | 0.00% | 0.35 | No | No | |
| 5/11/09 | 0.00% | 0.30 | No | No | |
| 5/12/09 | 0.00% | 0.29 | No | No | |
| 5/13/09 | 8.58% | 0.29 | No | No | |
| 5/14/09 | 0.00% | 0.28 | No | No | |
| 5/15/09 | 0.00% | 0.33 | No | No | |
| 5/16/09 | 0.00% | 0.33 | No | No | |
| 5/17/09 | 0.00% | 0.29 | No | No | |
| 5/18/09 | 0.00% | 0.31 | No | No | |
| 5/19/09 | 0.00% | 0.28 | No | No | |
| 5/20/09 | 8.17% | 0.28 | No | No | |
| 5/21/09 | 0.00% | 0.27 | No | No | |
| 5/22/09 | 0.00% | 0.26 | No | No | |
| 5/23/09 | 0.00% | 0.25 | No | No | |
| 5/24/09 | 0.00% | 0.25 | No | No | |
| 5/25/09 | 0.00% | 0.44 | No | No | |
| 5/26/09 | 0.00% | 0.30 | No | No | |
| 5/27/09 | 7.79% | 0.27 | No | No | |
| 5/28/09 | 0.00% | 0.26 | No | No | |
| 5/29/09 | 0.00% | 0.26 | No | No | |
| 5/30/09 | 0.00% | 0.30 | No | No | |
| 5/31/09 | 0.00% | 0.26 | No | No | |
| 6/1/09 | 0.00% | 0.24 | No | No | |
| 6/2/09 | 8.16% | 0.24 | No | No | |
| 6/3/09 | 0.00% | 0.23 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 6/4/09 | 0.00% | 0.23 | No | No | |
| 6/5/09 | 0.00% | 0.25 | No | No | |
| 6/6/09 | 0.00% | 0.30 | No | No | |
| 6/7/09 | 0.00% | 0.26 | No | No | |
| 6/8/09 | 0.00% | 0.24 | No | No | |
| 6/9/09 | 0.00% | 0.23 | No | No | |
| 6/10/09 | 7.65% | 0.39 | No | No | |
| 6/11/09 | 0.00% | 0.29 | No | No | |
| 6/12/09 | 0.00% | 0.27 | No | No | |
| 6/13/09 | 0.00% | 0.36 | No | No | |
| 6/14/09 | 0.00% | 0.29 | No | No | |
| 6/15/09 | 0.00% | 0.36 | No | No | |
| 6/16/09 | 0.00% | 0.29 | No | No | |
| 6/17/09 | 8.04% | 0.27 | No | No | |
| 6/18/09 | 0.00% | 0.25 | No | No | |
| 6/19/09 | 0.00% | 0.67 | No | No | |
| 6/20/09 | 0.00% | 0.46 | No | No | |
| 6/21/09 | 0.00% | 0.59 | No | No | |
| 6/22/09 | 0.00% | 0.61 | No | No | |
| 6/23/09 | 0.00% | 0.44 | No | No | |
| 6/24/09 | 9.27% | 0.39 | No | No | |
| 6/25/09 | 0.00% | 0.38 | No | No | |
| 6/26/09 | 0.00% | 0.35 | No | No | |
| 6/27/09 | 0.00% | 0.36 | No | No | |
| 6/28/09 | 0.00% | 0.33 | No | No | |
| 6/29/09 | 0.00% | 0.31 | No | No | |
| 6/30/09 | 0.00% | 0.30 | No | No | |
| 7/1/09 | 8.04% | 0.28 | No | No | |
| 7/2/09 | 0.00% | 0.28 | No | No | |
| 7/3/09 | 0.00% | 0.29 | No | No | |
| 7/4/09 | 0.00% | 0.29 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 7/5/09 | 0.00% | 0.26 | No | No | |
| 7/6/09 | 0.00% | 0.25 | No | No | |
| 7/7/09 | 0.00% | 0.25 | No | No | |
| 7/8/09 | 9.08% | 0.36 | No | No | |
| 7/9/09 | 0.00% | 0.35 | No | No | |
| 7/10/09 | 0.00% | 0.28 | No | No | |
| 7/11/09 | 0.00% | 0.27 | No | No | |
| 7/12/09 | 0.00% | 0.26 | No | No | |
| 7/13/09 | 0.00% | 0.25 | No | No | |
| 7/14/09 | 0.00% | 0.24 | No | No | |
| 7/15/09 | 8.17% | 0.23 | No | No | |
| 7/16/09 | 0.00% | 0.22 | No | No | |
| 7/17/09 | 0.00% | 0.38 | No | No | |
| 7/18/09 | 0.00% | 0.31 | No | No | |
| 7/19/09 | 0.00% | 0.27 | No | No | |
| 7/20/09 | 0.00% | 0.24 | No | No | |
| 7/21/09 | 8.44% | 0.22 | No | No | |
| 7/22/09 | 9.65% | 0.43 | No | No | |
| 7/23/09 | 5.64% | 0.32 | No | No | |
| 7/24/09 | 0.00% | 0.37 | No | No | |
| 7/25/09 | 0.00% | 0.50 | No | No | |
| 7/26/09 | 0.00% | 0.34 | No | No | |
| 7/27/09 | 0.00% | 0.31 | No | No | |
| 7/28/09 | 0.00% | 0.29 | No | No | |
| 7/29/09 | 8.24% | 0.27 | No | No | |
| 7/30/09 | 0.00% | 0.28 | No | No | |
| 7/31/09 | 0.00% | 0.26 | No | No | |
| 8/1/09 | 0.00% | 0.61 | No | No | |
| 8/2/09 | 0.00% | 0.39 | No | No | |
| 8/3/09 | 0.00% | 0.34 | No | No | |
| 8/4/09 | 0.00% | 0.31 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 8/5/09 | 8.09% | 0.28 | No | No | |
| 8/6/09 | 0.00% | 0.26 | No | No | |
| 8/7/09 | 0.00% | 0.26 | No | No | |
| 8/8/09 | 0.00% | 0.24 | No | No | |
| 8/9/09 | 0.00% | 0.24 | No | No | |
| 8/10/09 | 0.00% | 0.24 | No | No | |
| 8/11/09 | 0.00% | 0.24 | No | No | |
| 8/12/09 | 8.42% | 0.23 | No | No | |
| 8/13/09 | 7.57% | 0.26 | No | No | |
| 8/14/09 | 0.00% | 0.28 | No | No | |
| 8/15/09 | 0.00% | 0.25 | No | No | |
| 8/16/09 | 0.00% | 0.24 | No | No | |
| 8/17/09 | 3.22% | 0.22 | No | No | |
| 8/18/09 | 0.00% | 0.22 | No | No | |
| 8/19/09 | 8.56% | 0.22 | No | No | |
| 8/20/09 | 0.00% | 0.20 | No | No | |
| 8/21/09 | 0.00% | 0.21 | No | No | |
| 8/22/09 | 0.00% | 0.22 | No | No | |
| 8/23/09 | 0.00% | 0.32 | No | No | |
| 8/24/09 | 0.00% | 0.24 | No | No | |
| 8/25/09 | 0.00% | 0.21 | No | No | |
| 8/26/09 | 6.96% | 0.21 | No | No | |
| 8/27/09 | 0.00% | 0.20 | No | No | |
| 8/28/09 | 0.00% | 0.19 | Yes | No | |
| 8/29/09 | 0.00% | 0.23 | No | No | |
| 8/30/09 | 0.00% | 0.27 | No | No | |
| 8/31/09 | 0.00% | 0.23 | No | No | |
| 9/1/09 | 8.75% | 0.21 | No | No | |
| 9/2/09 | 18.34% | 0.19 | Yes | No | |
| 9/3/09 | 18.64% | 0.19 | Yes | No | |
| 9/4/09 | 0.00% | 0.19 | Yes | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|---------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 9/5/09 | 0.00% | 0.19 | Yes | No | |
| 9/6/09 | 0.00% | 0.19 | Yes | No | |
| 9/7/09 | 0.00% | 0.18 | Yes | No | |
| 9/8/09 | 0.00% | 0.19 | Yes | No | |
| 9/9/09 | 9.68% | 0.19 | Yes | No | |
| 9/10/09 | 0.00% | 0.17 | Yes | No | |
| 9/11/09 | 0.00% | 0.17 | Yes | No | |
| 9/12/09 | 0.00% | 0.29 | No | No | |
| 9/13/09 | 0.00% | 0.27 | No | No | |
| 9/14/09 | 0.00% | 0.22 | No | No | |
| 9/15/09 | 0.00% | 0.20 | No | No | |
| 9/16/09 | 8.05% | 0.19 | Yes | No | |
| 9/17/09 | 0.00% | 0.20 | No | No | |
| 9/18/09 | 0.00% | 0.19 | Yes | No | |
| 9/19/09 | 0.00% | 0.19 | Yes | No | |
| 9/20/09 | 0.00% | 0.18 | Yes | No | |
| 9/21/09 | 0.00% | 0.18 | Yes | No | |
| 9/22/09 | 0.00% | 0.18 | Yes | No | |
| 9/23/09 | 7.48% | 0.18 | Yes | No | |
| 9/24/09 | 0.00% | 0.18 | Yes | No | |
| 9/25/09 | 0.00% | 0.17 | Yes | No | |
| 9/26/09 | 0.00% | 0.16 | Yes | No | |
| 9/27/09 | 0.00% | 0.17 | Yes | No | |
| 9/28/09 | 0.00% | 0.32 | No | No | |
| 9/29/09 | 0.00% | 0.29 | No | No | |
| 9/30/09 | 9.06% | 0.22 | No | No | |
| 10/1/09 | 0.00% | 0.20 | No | No | |
| 10/2/09 | 0.00% | 0.19 | Yes | No | |
| 10/3/09 | 0.00% | 0.19 | Yes | No | |
| 10/4/09 | 0.00% | 0.42 | No | No | |
| 10/5/09 | 0.00% | 0.39 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|----------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 10/6/09 | 0.00% | 0.26 | No | No | |
| 10/7/09 | 10.87% | 0.23 | No | No | |
| 10/8/09 | 0.00% | 0.26 | No | No | |
| 10/9/09 | 0.00% | 0.23 | No | No | |
| 10/10/09 | 0.00% | 0.22 | No | No | |
| 10/11/09 | 0.00% | 0.21 | No | No | |
| 10/12/09 | 0.00% | 0.21 | No | No | |
| 10/13/09 | 0.00% | 0.20 | No | No | |
| 10/14/09 | 9.04% | 0.19 | Yes | No | |
| 10/15/09 | 0.00% | 0.19 | Yes | No | |
| 10/16/09 | 0.00% | 0.23 | No | No | |
| 10/17/09 | 0.00% | 0.22 | No | No | |
| 10/18/09 | 0.00% | 0.21 | No | No | |
| 10/19/09 | 0.00% | 0.28 | No | No | |
| 10/20/09 | 0.00% | 0.26 | No | No | |
| 10/21/09 | 9.76% | 0.23 | No | No | |
| 10/22/09 | 0.00% | 0.22 | No | No | |
| 10/23/09 | 0.00% | 0.21 | No | No | |
| 10/24/09 | 0.00% | 0.21 | No | No | |
| 10/25/09 | 0.00% | 0.58 | No | No | |
| 10/26/09 | 0.00% | 0.41 | No | No | |
| 10/27/09 | 0.00% | 0.31 | No | No | |
| 10/28/09 | 9.21% | 0.30 | No | No | |
| 10/29/09 | 0.00% | 0.70 | No | No | |
| 10/30/09 | 0.00% | 0.47 | No | No | |
| 10/31/09 | 0.00% | 0.36 | No | No | |
| 11/1/09 | 0.00% | 0.70 | No | No | |
| 11/2/09 | 0.00% | 0.32 | No | No | |
| 11/3/09 | 0.00% | 0.30 | No | No | |
| 11/4/09 | 8.56% | 0.29 | No | No | |
| 11/5/09 | 0.00% | 0.28 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|----------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 11/6/09 | 0.00% | 0.29 | No | No | |
| 11/7/09 | 0.00% | 0.28 | No | No | |
| 11/8/09 | 0.00% | 0.28 | No | No | |
| 11/9/09 | 0.00% | 0.27 | No | No | |
| 11/10/09 | 9.37% | 0.27 | No | No | |
| 11/11/09 | 0.00% | 0.26 | No | No | |
| 11/12/09 | 0.00% | 0.25 | No | No | |
| 11/13/09 | 0.00% | 0.25 | No | No | |
| 11/14/09 | 0.00% | 0.27 | No | No | |
| 11/15/09 | 0.00% | 0.56 | No | No | |
| 11/16/09 | 0.00% | 0.43 | No | No | |
| 11/17/09 | 0.00% | 0.35 | No | No | |
| 11/18/09 | 8.33% | 0.32 | No | No | |
| 11/19/09 | 0.00% | 0.30 | No | No | |
| 11/20/09 | 0.00% | 0.30 | No | No | |
| 11/21/09 | 0.00% | 0.54 | No | No | |
| 11/22/09 | 0.00% | 0.38 | No | No | |
| 11/23/09 | 0.00% | 0.35 | No | No | |
| 11/24/09 | 8.30% | 0.33 | No | No | |
| 11/25/09 | 0.00% | 0.33 | No | No | |
| 11/26/09 | 0.00% | 0.36 | No | No | |
| 11/27/09 | 0.00% | 0.35 | No | No | |
| 11/28/09 | 0.00% | 0.36 | No | No | |
| 11/29/09 | 0.00% | 0.32 | No | No | |
| 11/30/09 | 0.00% | 0.32 | No | No | |
| 12/1/09 | 0.00% | 0.34 | No | No | |
| 12/2/09 | 8.64% | 0.32 | No | No | |
| 12/3/09 | 0.00% | 0.32 | No | No | |
| 12/4/09 | 0.00% | 0.76 | No | No | |
| 12/5/09 | 0.00% | 0.46 | No | No | |
| 12/6/09 | 0.00% | 0.47 | No | No | |

| Date | %max registered diversion | Lake Level (ft relative to spillway) | Management Plan Restriction (32.36%)? | Management Plan Exception Exercised? | Reason for Exception |
|----------|---------------------------|--------------------------------------|---------------------------------------|--------------------------------------|----------------------|
| 12/7/09 | 0.00% | 0.43 | No | No | |
| 12/8/09 | 0.00% | 0.39 | No | No | |
| 12/9/09 | 8.60% | 0.38 | No | No | |
| 12/10/09 | 0.00% | 0.62 | No | No | |
| 12/11/09 | 0.00% | 0.50 | No | No | |
| 12/12/09 | 0.00% | 0.43 | No | No | |
| 12/13/09 | 0.00% | 0.40 | No | No | |
| 12/14/09 | 0.00% | 0.66 | No | No | |
| 12/15/09 | 0.00% | 0.54 | No | No | |
| 12/16/09 | 8.96% | 0.50 | No | No | |
| 12/17/09 | 0.00% | 0.46 | No | No | |
| 12/18/09 | 0.00% | 0.42 | No | No | |
| 12/19/09 | 0.00% | 0.40 | No | No | |
| 12/20/09 | 0.00% | 0.40 | No | No | |
| 12/21/09 | 0.00% | 0.38 | No | No | |
| 12/22/09 | 8.44% | 0.37 | No | No | |
| 12/23/09 | 0.00% | 0.36 | No | No | |
| 12/24/09 | 0.00% | 0.35 | No | No | |
| 12/25/09 | 0.00% | 0.34 | No | No | |
| 12/26/09 | 0.00% | 0.34 | No | No | |
| 12/27/09 | 0.00% | 0.49 | No | No | |
| 12/28/09 | 0.00% | 0.90 | No | No | |
| 12/29/09 | 9.19% | 0.49 | No | No | |
| 12/30/09 | 0.00% | 0.45 | No | No | |
| 12/31/09 | 0.00% | 0.42 | No | No | |