

2012 Lake Whitney Water Treatment Plant Raw Water Usage

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
1/1/12	0.00%	0.43	No	No	
1/2/12	0.00%	0.42	No	No	
1/3/12	7.44%	0.42	No	No	
1/4/12	0.00%	0.39	No	No	
1/5/12	0.00%	0.39	No	No	
1/6/12	0.00%	0.39	No	No	
1/7/12	0.00%	0.39	No	No	
1/8/12	0.00%	0.39	No	No	
1/9/12	0.00%	0.37	No	No	
1/10/12	7.32%	0.36	No	No	
1/11/12	0.00%	0.36	No	No	
1/12/12	0.00%	0.36	No	No	
1/13/12	0.00%	0.56	No	No	
1/14/12	0.00%	0.43	No	No	
1/15/12	0.00%	0.39	No	No	
1/16/12	0.00%	0.36	No	No	
1/17/12	7.23%	0.37	No	No	
1/18/12	0.00%	0.39	No	No	
1/19/12	0.00%	0.39	No	No	
1/20/12	0.00%	0.37	No	No	
1/21/12	0.00%	0.35	No	No	
1/22/12	0.00%	0.35	No	No	
1/23/12	0.00%	0.36	No	No	
1/24/12	7.14%	0.45	No	No	
1/25/12	0.00%	0.49	No	No	
1/26/12	0.00%	0.43	No	No	
1/27/12	4.66%	0.44	No	No	
1/28/12	0.00%	0.62	No	No	
1/29/12	0.00%	0.48	No	No	
1/30/12	0.00%	0.44	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
1/31/12	6.10%	0.42	No	No	
2/1/12	0.00%	0.41	No	No	
2/2/12	0.00%	0.41	No	No	
2/3/12	0.00%	0.39	No	No	
2/4/12	0.00%	0.38	No	No	
2/5/12	0.00%	0.38	No	No	
2/6/12	0.00%	0.37	No	No	
2/7/12	7.83%	0.37	No	No	
2/8/12	0.00%	0.36	No	No	
2/9/12	0.00%	0.36	No	No	
2/10/12	0.00%	0.35	No	No	
2/11/12	0.00%	0.35	No	No	
2/12/12	0.00%	0.35	No	No	
2/13/12	0.00%	0.34	No	No	
2/14/12	21.86%	0.28	No	No	
2/15/12	7.21%	0.34	No	No	
2/16/12	0.00%	0.34	No	No	
2/17/12	0.00%	0.35	No	No	
2/18/12	0.00%	0.35	No	No	
2/19/12	0.00%	0.34	No	No	
2/20/12	0.00%	0.32	No	No	
2/21/12	7.68%	0.32	No	No	
2/22/12	0.00%	0.32	No	No	
2/23/12	0.00%	0.32	No	No	
2/24/12	0.00%	0.31	No	No	
2/25/12	0.00%	0.45	No	No	
2/26/12	0.00%	0.41	No	No	
2/27/12	0.00%	0.36	No	No	
2/28/12	6.77%	0.34	No	No	
2/29/12	0.00%	0.33	No	No	
3/1/12	0.00%	0.36	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
3/2/12	0.00%	0.38	No	No	
3/3/12	0.00%	0.37	No	No	
3/4/12	0.00%	0.44	No	No	
3/5/12	0.00%	0.39	No	No	
3/6/12	8.05%	0.36	No	No	
3/7/12	0.00%	0.34	No	No	
3/8/12	0.00%	0.34	No	No	
3/9/12	0.00%	0.34	No	No	
3/10/12	0.00%	0.33	No	No	
3/11/12	0.00%	0.30	No	No	
3/12/12	0.00%	0.31	No	No	
3/13/12	20.48%	0.33	No	No	
3/14/12	0.00%	0.33	No	No	
3/15/12	0.00%	0.31	No	No	
3/16/12	0.00%	0.31	No	No	
3/17/12	0.00%	0.31	No	No	
3/18/12	0.00%	0.31	No	No	
3/19/12	0.00%	0.31	No	No	
3/20/12	7.61%	0.30	No	No	
3/21/12	0.00%	0.30	No	No	
3/22/12	0.00%	0.30	No	No	
3/23/12	0.00%	0.29	No	No	
3/24/12	0.00%	0.28	No	No	
3/25/12	0.00%	0.28	No	No	
3/26/12	0.00%	0.29	No	No	
3/27/12	8.55%	0.27	No	No	
3/28/12	0.00%	0.27	No	No	
3/29/12	0.00%	0.31	No	No	
3/30/12	0.00%	0.29	No	No	
3/31/12	0.00%	0.28	No	No	
4/1/12	0.00%	0.30	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
4/2/12	0.00%	0.32	No	No	
4/3/12	8.10%	0.29	No	No	
4/4/12	0.00%	0.28	No	No	
4/5/12	0.00%	0.26	No	No	
4/6/12	0.00%	0.27	No	No	
4/7/12	0.00%	0.27	No	No	
4/8/12	0.00%	0.26	No	No	
4/9/12	0.00%	0.27	No	No	
4/10/12	7.57%	0.26	No	No	
4/11/12	0.00%	0.26	No	No	
4/12/12	0.00%	0.26	No	No	
4/13/12	0.00%	0.26	No	No	
4/14/12	0.00%	-0.34	No	No	
4/15/12	0.00%	-1.67	Yes	No	
4/16/12	0.00%	-2.93	Yes	No	
4/17/12	7.10%	-2.96	Yes	No	
4/18/12	0.00%	-2.97	Yes	No	
4/19/12	0.00%	-2.98	Yes	No	
4/20/12	0.00%	-2.98	Yes	No	
4/21/12	0.00%	-2.95	Yes	No	
4/22/12	0.00%	-2.96	Yes	No	
4/23/12	0.00%	-2.96	Yes	No	
4/24/12	6.50%	0.77	No	No	
4/25/12	0.00%	0.45	No	No	
4/26/12	0.00%	0.39	No	No	
4/27/12	0.00%	0.36	No	No	
4/28/12	0.00%	0.33	No	No	
4/29/12	0.00%	0.32	No	No	
4/30/12	0.00%	0.30	No	No	
5/1/12	7.06%	0.31	No	No	
5/2/12	0.00%	0.34	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
5/3/12	0.00%	0.27	No	No	
5/4/12	0.00%	0.32	No	No	
5/5/12	0.00%	0.33	No	No	
5/6/12	0.00%	0.31	No	No	
5/7/12	0.00%	0.30	No	No	
5/8/12	7.53%	0.30	No	No	
5/9/12	0.00%	0.30	No	No	
5/10/12	0.00%	0.35	No	No	
5/11/12	0.00%	0.45	No	No	
5/12/12	0.00%	0.34	No	No	
5/13/12	0.00%	0.32	No	No	
5/14/12	0.00%	0.30	No	No	
5/15/12	11.73%	0.30	No	No	
5/16/12	0.00%	0.54	No	No	
5/17/12	0.00%	0.41	No	No	
5/18/12	0.00%	0.34	No	No	
5/19/12	0.00%	0.32	No	No	
5/20/12	0.00%	0.30	No	No	
5/21/12	0.00%	0.29	No	No	
5/22/12	6.34%	0.30	No	No	
5/23/12	0.00%	0.36	No	No	
5/24/12	0.00%	0.32	No	No	
5/25/12	0.00%	0.30	No	No	
5/26/12	0.00%	0.31	No	No	
5/27/12	0.00%	0.30	No	No	
5/28/12	0.00%	0.28	No	No	
5/29/12	22.97%	0.31	No	No	
5/30/12	25.63%	0.29	No	No	
5/31/12	0.99%	0.27	No	No	
6/1/12	0.00%	0.26	No	No	
6/2/12	0.00%	0.26	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
6/3/12	0.00%	0.73	No	No	
6/4/12	0.00%	0.45	No	No	
6/5/12	8.61%	0.42	No	No	
6/6/12	0.00%	0.37	No	No	
6/7/12	20.27%	0.36	No	No	
6/8/12	0.00%	0.33	No	No	
6/9/12	0.00%	0.32	No	No	
6/10/12	0.00%	0.31	No	No	
6/11/12	0.00%	0.31	No	No	
6/12/12	7.37%	0.29	No	No	
6/13/12	0.00%	0.32	No	No	
6/14/12	0.00%	0.46	No	No	
6/15/12	0.00%	0.35	No	No	
6/16/12	0.00%	0.31	No	No	
6/17/12	0.00%	0.30	No	No	
6/18/12	0.00%	0.29	No	No	
6/19/12	6.92%	0.28	No	No	
6/20/12	0.00%	0.28	No	No	
6/21/12	0.00%	0.27	No	No	
6/22/12	2.88%	0.26	No	No	
6/23/12	0.00%	0.27	No	No	
6/24/12	0.00%	0.29	No	No	
6/25/12	0.00%	0.26	No	No	
6/26/12	7.92%	0.41	No	No	
6/27/12	0.00%	0.30	No	No	
6/28/12	0.00%	0.27	No	No	
6/29/12	0.00%	0.26	No	No	
6/30/12	0.00%	0.26	No	No	
7/1/12	0.00%	0.24	No	No	
7/2/12	0.00%	0.24	No	No	
7/3/12	6.79%	0.24	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
7/4/12	0.00%	0.23	No	No	
7/5/12	0.00%	0.26	No	No	
7/6/12	0.00%	0.23	No	No	
7/7/12	0.00%	0.22	No	No	
7/8/12	0.00%	0.23	No	No	
7/9/12	13.20%	0.22	No	No	
7/10/12	0.00%	0.21	No	No	
7/11/12	24.31%	0.21	Yes	No	
7/12/12	23.93%	0.19	Yes	No	
7/13/12	24.79%	0.19	Yes	No	
7/14/12	23.00%	0.19	Yes	No	
7/15/12	24.94%	0.19	Yes	No	
7/16/12	25.10%	0.24	No	No	
7/17/12	23.76%	0.22	No	No	
7/18/12	25.27%	0.20	No	No	
7/19/12	25.94%	0.21	No	No	
7/20/12	5.32%	0.24	No	No	
7/21/12	0.00%	0.28	No	No	
7/22/12	0.00%	0.24	No	No	
7/23/12	0.00%	0.22	No	No	
7/24/12	7.47%	0.24	No	No	
7/25/12	0.00%	0.26	No	No	
7/26/12	0.00%	0.22	No	No	
7/27/12	0.00%	0.25	No	No	
7/28/12	0.00%	0.23	No	No	
7/29/12	0.00%	0.44	No	No	
7/30/12	0.00%	0.29	No	No	
7/31/12	7.82%	0.26	No	No	
8/1/12	0.00%	0.23	No	No	
8/2/12	0.00%	0.36	No	No	
8/3/12	0.00%	0.36	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
8/4/12	0.00%	0.28	No	No	
8/5/12	0.00%	0.24	No	No	
8/6/12	0.00%	0.33	No	No	
8/7/12	6.78%	0.25	No	No	
8/8/12	0.00%	0.23	No	No	
8/9/12	0.00%	0.23	No	No	
8/10/12	0.00%	0.22	No	No	
8/11/12	0.00%	0.65	No	No	
8/12/12	0.00%	0.43	No	No	
8/13/12	0.00%	0.31	No	No	
8/14/12	7.23%	0.27	No	No	
8/15/12	0.00%	0.26	No	No	
8/16/12	0.00%	0.35	No	No	
8/17/12	0.00%	0.27	No	No	
8/18/12	0.00%	0.26	No	No	
8/19/12	0.00%	0.28	No	No	
8/20/12	0.00%	0.26	No	No	
8/21/12	8.34%	0.25	No	No	
8/22/12	0.00%	0.24	No	No	
8/23/12	0.00%	0.24	No	No	
8/24/12	0.00%	0.23	No	No	
8/25/12	0.00%	0.23	No	No	
8/26/12	0.00%	0.22	No	No	
8/27/12	0.00%	0.22	No	No	
8/28/12	7.48%	0.23	No	No	
8/29/12	0.00%	0.22	No	No	
8/30/12	0.00%	0.22	No	No	
8/31/12	0.00%	0.50	No	No	
9/1/12	0.00%	0.22	No	No	
9/2/12	0.00%	0.21	No	No	
9/3/12	0.00%	0.21	No	No	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
9/4/12	7.85%	0.21	No	No	
9/5/12	0.00%	0.22	No	No	
9/6/12	0.00%	0.26	No	No	
9/7/12	0.00%	0.23	No	No	
9/8/12	0.00%	0.22	No	No	
9/9/12	0.00%	0.28	No	No	
9/10/12	0.00%	0.24	No	No	
9/11/12	6.81%	0.21	No	No	
9/12/12	0.00%	0.21	No	No	
9/13/12	0.00%	0.21	No	No	
9/14/12	0.00%	0.22	No	No	
9/15/12	0.00%	0.21	No	No	
9/16/12	0.00%	0.20	No	No	
9/17/12	0.00%	0.20	No	No	
9/18/12	5.66%	0.20	No	No	
9/19/12	2.81%	0.37	No	No	
9/20/12	0.00%	0.29	No	No	
9/21/12	0.00%	0.22	No	No	
9/22/12	0.00%	0.20	No	No	
9/23/12	0.00%	0.20	No	No	
9/24/12	0.00%	0.18	Yes	No	
9/25/12	6.10%	0.18	Yes	No	
9/26/12	0.00%	0.17	Yes	No	
9/27/12	0.00%	0.19	Yes	No	
9/28/12	0.00%	0.21	No	No	
9/29/12	0.00%	0.54	No	No	
9/30/12	0.00%	0.34	No	No	
10/1/12	15.79%	0.28	No	NO	
10/2/12	4.73%	0.24	No	NO	
10/3/12	0.00%	0.32	No	NO	
10/4/12	0.00%	0.27	No	NO	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
10/5/12	0.00%	0.27	No	NO	
10/6/12	0.00%	0.26	No	NO	
10/7/12	0.00%	0.24	No	NO	
10/8/12	0.00%	0.24	No	NO	
10/9/12	8.74%	0.24	No	NO	
10/10/12	0.00%	0.23	No	NO	
10/11/12	0.00%	0.27	No	NO	
10/12/12	0.00%	0.25	No	NO	
10/13/12	0.00%	0.23	No	NO	
10/14/12	0.00%	0.24	No	NO	
10/15/12	0.00%	0.28	No	NO	
10/16/12	0.00%	0.28	No	NO	
10/17/12	6.70%	0.24	No	NO	
10/18/12	0.00%	0.23	No	NO	
10/19/12	0.00%	0.24	No	NO	
10/20/12	0.00%	0.48	No	NO	
10/21/12	0.00%	0.37	No	NO	
10/22/12	0.00%	0.30	No	NO	
10/23/12	18.87%	0.27	No	NO	
10/24/12	0.00%	0.26	No	NO	
10/25/12	0.00%	0.27	No	NO	
10/26/12	0.00%	0.27	No	NO	
10/27/12	0.00%	0.26	No	NO	
10/28/12	0.00%	0.26	No	NO	
10/29/12	0.00%	0.22	No	NO	
10/30/12	0.00%	0.21	No	NO	
10/31/12	11.29%	0.34	No	NO	
11/1/12	0.00%	0.29	No	NO	
11/2/12	0.00%	0.27	No	NO	
11/3/12	0.00%	0.27	No	NO	
11/4/12	0.00%	0.22	No	NO	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
11/5/12	0.00%	0.22	No	NO	
11/6/12	7.57%	0.25	No	NO	
11/7/12	0.00%	0.25	No	NO	
11/8/12	0.00%	0.27	No	NO	
11/9/12	0.00%	0.29	No	NO	
11/10/12	0.00%	0.31	No	NO	
11/11/12	0.00%	0.32	No	NO	
11/12/12	0.00%	0.32	No	NO	
11/13/12	0.00%	0.31	No	NO	
11/14/12	0.00%	0.29	No	NO	
11/15/12	7.40%	0.29	No	NO	
11/16/12	0.00%	0.28	No	NO	
11/17/12	0.00%	0.29	No	NO	
11/18/12	0.00%	0.29	No	NO	
11/19/12	0.00%	0.28	No	NO	
11/20/12	7.69%	0.28	No	NO	
11/21/12	0.00%	0.27	No	NO	
11/22/12	0.00%	0.27	No	NO	
11/23/12	0.00%	0.27	No	NO	
11/24/12	0.00%	0.27	No	NO	
11/25/12	0.00%	0.27	No	NO	
11/26/12	0.00%	0.27	No	NO	
11/27/12	16.08%	0.27	No	NO	
11/28/12	0.00%	0.28	No	NO	
11/29/12	8.01%	0.28	No	NO	
11/30/12	0.00%	0.27	No	NO	
12/1/12	0.00%	0.27	No	NO	
12/2/12	0.00%	0.27	No	NO	
12/3/12	0.00%	0.29	No	NO	
12/4/12	9.05%	0.28	No	NO	
12/5/12	0.00%	0.27	No	NO	

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
12/6/12	0.00%	0.26	No	NO	
12/7/12	0.00%	0.27	No	NO	
12/8/12	0.00%	0.28	No	NO	
12/9/12	0.00%	0.30	No	NO	
12/10/12	0.00%	0.30	No	NO	
12/11/12	6.24%	0.34	No	NO	
12/12/12	0.00%	0.31	No	NO	
12/13/12	0.00%	0.29	No	NO	
12/14/12	0.00%	0.28	No	NO	
12/15/12	0.00%	0.28	No	NO	
12/16/12	4.73%	0.28	No	NO	
12/17/12	0.00%	0.29	No	NO	
12/18/12	6.87%	0.34	No	NO	
12/19/12	0.00%	0.54	No	NO	
12/20/12	0.00%	0.39	No	NO	
12/21/12	0.00%	0.36	No	NO	
12/22/12	0.00%	0.63	No	NO	
12/23/12	0.00%	0.44	No	NO	
12/24/12	0.00%	0.39	No	NO	
12/25/12	0.00%	0.37	No	NO	
12/26/12	5.66%	0.37	No	NO	
12/27/12	0.00%	0.37	No	NO	
12/28/12	0.00%	0.50	No	NO	
12/29/12	0.00%	0.43	No	NO	
12/30/12	0.00%	0.41	No	NO	
12/31/12	0.00%	0.39	No	NO	